

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19007	(rdp or remote or aip) with period\$5 and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 17:55
L2	634	(rdp or remote or aip) with period\$5 with updat\$5 and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 17:58
L3	1	(rdp or aip) with period\$5 with updat\$5 and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 17:58
L4	147	(rdp or aip) with period\$5 and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 17:58
L5	151	(rdp or aip) with period\$6 and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 17:58
L6	6	(rdp or aip) with periodically and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 17:59
L7	26	(rdp or aip) and (image with periodically) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 18:01

L8	73	(rdp or aip) and ((image or screen or updat\$5) with periodically) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 18:02
L9	48	(rdp or aip) and ((screen or updat\$5) with periodically) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 18:10
L10	1304	display with update with request and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 18:24
L11	1	display with update with request and RDP and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 18:24
L12	58	display with update with request with period\$6 and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 18:24
L13	3	"20050192002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 18:26
L14	2	"20050186913"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/19 18:32
S1	2	"20050256923"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/11 16:53
S2	2	"20020046262"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/11 17:17

S3	13	((dummy or dumb) terminal or thin client or X terminal) and JAVA and server farm and (independent computing architecture or ICA) and (remote display protocol or RDP) and (hyper\$text\$transfer\$protocol or HTTP) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 15:10
S4	903	((dummy or dumb) terminal or thin client or X terminal) and cell phone and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 15:24
S5	111	((dummy or dumb) terminal or thin client or X terminal) and cell phone and proxy server and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 15:26
S6	12	((dummy or dumb) terminal or thin client or X terminal) and cell phone and proxy server and server farm and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 15:26
S7	12	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and cell phone and proxy server and server farm and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/18 14:32
S8	114	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and cell phone and proxy server and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/18 14:35
S9	39	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and proxy server and server farm and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/18 15:59

S10	4	"6766333"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/18 17:41
S11	6668	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and (image or GUI or user interface) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/19 11:25
S12	6395	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and (image or GUI or user interface) and application and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/19 11:26
S13	2907	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and (image or GUI or user interface or display) near5 application and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/19 11:46
S14	787	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and (image or GUI or user interface or display) near5 application and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") and "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/19 11:47
S15	20	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and (image or GUI or user interface or display) near5 application and (ICA or RDP) and (JPEG or GIF) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/19 11:51

S16	20	"6446119"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/19 11:54
S17	3	"20030120714"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/19 12:00
S18	8	"6112250"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/19 12:03
S19	2	"6112244" and moore.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/19 12:15
S20	139	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and (image or GUI or user interface or display) near5 application and (ICA or RDP) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/19 13:29
S21	104	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and (image or GUI or user interface or display) near5 application and (ICA or RDP) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") not citrix.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/19 13:41
S22	28	(US-20020046262-\$ or US-20020026507-\$ or US-20080028335-\$ or US-20070288855-\$ or US-20070288841-\$ or US-20070198917-\$ or US-20070198916-\$ or US-20050132286-\$ or US-20050131887-\$ or US-20040004641-\$ or US-20020091738-\$ or US-20040003347-\$ or US-20020078203-\$ or US-	US-PGPUB; USPAT	ADJ	ON	2008/03/20 15:59

		20020032751-\$ or US-20080059571-\$ or US-20050198189-\$ or US-20030191799-\$ or US-20030063119-\$ or US-20020196279-\$ or US-20060282253-\$ or US-20050081158-\$ or US-20030182392-\$ or US-20050149875-\$).did. or (US-6766333-\$ or US-7210099-\$ or US-6112250-\$ or US-6950991-\$ or US-7275212-\$).did.				
S23	1	S22 and color.ti.	US-PGPUB; USPAT	ADJ	ON	2008/03/20 15:59
S24	15	shaw.in. and color.ti.	US-PGPUB; USPAT	ADJ	ON	2008/03/20 15:59
S25	9	shaw.in. and color.ti. and application	US-PGPUB; USPAT	ADJ	ON	2008/03/20 16:00
S26	1	"20010047406"	US-PGPUB; USPAT	ADJ	ON	2008/03/20 16:05
S27	2	"20020091738"	US-PGPUB; USPAT	ADJ	ON	2008/03/20 17:01
S28	18	"50" near KB near less and (hyper\$text\$transfer\$protocol or HTTP) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT	ADJ	ON	2008/03/21 09:46
S29	4	"50" near3 KB near3 less and (hyper\$text\$transfer\$protocol or HTTP) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") and ((dummy or dumb) terminal or thin client or X terminal or remote desktop)	US-PGPUB; USPAT	ADJ	ON	2008/03/21 09:47
S30	4	"50" near3 KB near3 less and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") and ((dummy or dumb) terminal or thin client or X terminal or remote desktop)	US-PGPUB; USPAT	ADJ	ON	2008/03/21 09:48
S31	728	(kilobytes or kilo\$bytes or KB) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") and ((dummy or dumb) terminal or thin client or X terminal or remote desktop)	US-PGPUB; USPAT	ADJ	ON	2008/03/21 14:38

S32	225	(kilobytes or kilo\$bytes or KB) near5 (size or memory or footprint) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") and ((dummy or dumb) terminal or thin client or X terminal or remote desktop)	US-PGPUB; USPAT	ADJ	ON	2008/03/21 14:41
S33	69	(kilobytes or kilo\$bytes or KB) near5 (size or memory or footprint) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") and ((dummy or dumb) terminal or thin client or X terminal or remote desktop) and "709".clas.	US-PGPUB; USPAT	ADJ	ON	2008/03/21 14:42
S34	7	(kilobytes or kilo\$bytes or KB) near5 (execution or run) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") and ((dummy or dumb) terminal or thin client or X terminal or remote desktop) and "709".clas.	US-PGPUB; USPAT	ADJ	ON	2008/03/21 14:53
S35	4	(kilobytes or kilo\$bytes or KB) near5 ("50") and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") and ((dummy or dumb) terminal or thin client or X terminal or remote desktop) and "709".clas.	US-PGPUB; USPAT	ADJ	ON	2008/03/21 14:54
S36	20	(kilobytes or kilo\$bytes or KB) near5 ("50") and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") and ((dummy or dumb) terminal or thin client or X terminal or remote desktop)	US-PGPUB; USPAT	ADJ	ON	2008/03/21 14:55
S37	884	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and predetermined time and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/21 16:14

S38	121	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and predetermined time and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") and "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/21 16:16
S39	1	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and predetermined time near9 update\$4 and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") and "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/21 16:17
S40	23	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and predetermined near9 update\$4 and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") and "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/21 16:17
S41	1	"09808404"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/21 16:57
S42	460	((dummy or dumb) terminal or thin client or X terminal or remote desktop) and 709/203. ccls. and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/21 17:33
S44	6	(kilobytes or kilo\$bytes or KB) near5 ("50") near5 (less or around) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") and "709".clas.	US-PGPUB; USPAT	ADJ	ON	2008/03/24 15:04
S45	104	(kilobytes or kilo\$bytes or KB) near5 ("50") and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514") and "709".clas.	US-PGPUB; USPAT	ADJ	ON	2008/03/24 15:05

S46	1173	(kilobytes or kilo\$bytes or KB) near ("50") same (less or around) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT	ADJ	ON	2008/03/24 15:06
S47	1	(kilobytes or kilo\$bytes or KB) near ("50") same (less or around) same client application and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT	ADJ	ON	2008/03/24 15:06
S48	29	(kilobytes or kilo\$bytes or KB) near ("50") same (less or around) same application and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT	ADJ	ON	2008/03/24 15:07
S50	2	"20020046262"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/24 17:46
S51	2	"20020054090"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/24 17:48
S52	0	2004/015537	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/24 17:49
S53	2	"20040015537"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/24 17:49
S54	949	static image data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/28 13:16

S55	738	static image data and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/28 13:17
S56	14	determin\$5 with acceptable with image with loss and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/04 13:36
S57	4	compress\$5 with image with loss and RDP and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/04 13:38
S58	4322	(compress\$5 or loss) with image with screen and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/04 13:56
S59	1	(compress\$5 or loss) with image with screen with rdp and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/04 13:56
S60	14	(compress\$5 or loss) with image with screen and rdp and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/04 13:57
S61	197	(compress\$5 or loss) with image with screen near4 size and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/04 13:59
S62	1	(compress\$5 or loss) with image with screen near4 size and rdp and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/04 13:59
S63	47	(compress\$5 or loss) with image with screen near4 size and (rdp or remote or aip) and (@pd<="20040514" or @ad<="20040514" or @rlad<="20040514" or @prad<="20040514")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/04 13:59

EAST Search History (Interference)

<This search history is empty>

1/ 19/ 2010 7:17:05 PM

C:\ Documents and Settings\ kmai2\ My Documents\ EAST\ Workspaces\ 10709581.wsp